Gypsy & Traveller Site Identification – MCC Land Evaluation

MCC Land – Manson Heights, Monmouth	
Site Size – Approx 775 m ²	Pitch Capacity – 1 pitch max
General Description	
Rural	
Level site	
 Currently open space. Hedged and elevations. 	well screened to North and East
	Height properties, two of which would
adjoin the site.	rieight properties, two of which would
	hts. However, access to Manson Heights is ane – very narrow single-track lanes from
Ward – Osbaston	
MANSON LANE Manson WITHY LANE WITHY LANE WITHY LANE WITHY LANE	

Strengths	Weaknesses
 May suit an individual family Existing screening in place x 2 elevations Level site 	 Location of a former Isolation Hospital for infectious diseases, likely 1905-64. The land is prioritised on the Councils Contaminated Land inspection strategy as a category E (low priority for further inspection). Should any type of accommodation be built on the land, (without site investigation and, if necessary, remediation) the site would become a category B (medium-high priority). Narrow single-track lane access. May have implications for developing and decommissioning Adjoins existing homes Minimal margin between adjoining homes No scope to expand
Opportunities	Threats (Risk)
 Being allocated to one family – no risk of other families arriving Could be sold to a household. 	 Potential health risk Potential cost of investigative work and remediation work
Key Internal Feedback CommentsGreenfield site	

- Within Wye catchment so phosphate implications
- Land contamination investigation should be undertaken to evaluate potential suitability

Gypsy & Traveller Community Comments

- Easier to get Planning consent the further you are away from other people due to hostility. Putting sites near to settled community doesn't work. Feeling mutual of not wanting to live near each other (ie Travellers and the settled population). Easier to get Planning the further you are away from other people due to hostility.
- Not suitable as wish to remain in home community for school, employment and social reasons*

* This relates to one household and doesn't mean that it's not suitable for other families.

Travelling Ahead Comments

• Not suitable. Too close to existing homes. Existing screening on two elevations is good. The provision of just one pitch may be less economical. MCC is advised to aim for sites that can accommodate 5/6 pitches

Decommondation	Detain in presses for consideration by Mambara
Recommendation	Retain in process for consideration by Members
	Workshop